



ABF Motor Oils

We redefined lubrication through ABF technology
Setting the standards in Effectiveness of The Lubricant



ABF-Lite E3 Beta

Top of the Class
Produce of Singapore

Updated 2014DEC29

ABF-Lite E3 Beta are fully synthetic passenger car motor oils. Formulated with advance additives the oils provide engine excellent wear and rust protection, outstanding sludge and deposit controlling and high temperature stability. These oils are recommended for use in all makes of latest models of passenger cars, racing car, van and truck burning gasoline or diesel which requires API SM, SL, SJ quality oils.

The unique Steel Shield ABF Technology of the oils provides outstanding performance and protection even in the most extreme conditions. These oils exceed the latest OEM specification requirements of VW502 00/505 00, etc.

ABF-Lite E3 Beta : API SM/SL/SJ/CF

- Excellent cold engine start-up protection
- Excellent oxidation stability
- Extend oil drain interval
- Improved deposit protection and maintains engine cleanliness
- Outstanding corrosion and wear protection, keep engine in good condition
- Fuel economy, energy saving
- Increase output power
- Reduce downtime

TYPICAL CHARACTERISTICS

SAE Grade			5W30	5W40
Viscosity @ 40 °C	cSt	ASTM D445	69	85
Viscosity @ 100 °C	cSt	ASTM D445	11.2	14.8
Viscosity Index		ASTM D2270	145	165
Pour Point	°C	ASTM D97	-36	-36
Flash Point COC	°C	ASTM D92	222	220

Remarks : Due to continual research and development, the information contained herein is subject to change without notice. Always follow manufacturers' recommendations for lubricant performance, viscosity grade and oil change interval as these may vary depending on ambient temperature, fuel composition, model, year and environment of operation.

STEEL SHIELD TECHNOLOGIES

809B, 8/F., Block B, Goodview Industrial Building, 11 Kin Fat Street, Tuen Mun, N.T., HK

Tel:(852) 2545 8029 Fax: (852) 2545 8030

Website: www.steelshieldtech.com.hk Facebook: www.facebook.com/steelshieldtech